



Despatch No. 18619 / 1
Your Order No 18619
Date despatched 02 September 2019

Fax:

CERTIFICATE OF ANALYSIS

Your code Product name Our code
 COCONUT FLAVOUR DEV-50227 TF018371A 1x3 PK004

Batch	Units	Q/C	Best before	DoM
15291	1	Passed	30/05/2020	30/08/2019

Shelf Life extensions
qc altered BBE date from 30/05/2019 to 30/05/2020

Physical	Results	Our Specification
Organoleptic	Pass	
Refractive Index	1.4488	
Visual	Pass	
Specific Gravity	1.049	
Sieve Mesh 1mm	100% Pass	100% passes

Compliant to: Commission Regulation (EU) 1334/2008
Certificate issued 02/09/2019

The Soap Kitchen
Unit 8 Caddsdwn Industrial Park, Clovelly Road, Bideford,
Devon, EX39 3DX

Tel: 01237 420872 (+44 (0)1237 420872)
Email: it@thesoapkitchen.co.uk

Legal Notice

The information given in this publication is based on our current knowledge and experience, and may be used at your discretion and risk. It does not relieve you from carrying out your own precautions and tests. We do not assume any liability in connection with your product or its use. You must comply with all applicable laws and regulations, and observe all third party rights.

Microbiology results supplied are based upon our procedure code PPR 015 which is available upon request. This means that according to the designated level of risk, this batch may have been tested by our accredited Third Party lab, or the results may be based upon calculation and previous random sampling results.

Heavy Metals are tested by the company on a monitoring basis only unless expressly stated.

Shelf life dates given by Plant-ex are recommended according to studies carried out by the company over time, however they are not a warranty against natural degradation which may occur, particularly with Natural materials. Product strengths will be as stated at the time of delivery, thereafter it is the duty of the customer to store the material appropriately and use the material in a timely manner to avoid any loss in strength.