



Despatch No. **18513 / 1**
Your Order No **18513**
Date despatched **28 August 2019**

Fax:

CERTIFICATE OF ANALYSIS

Your code Product name Our code
 RED BEET JUICE EXTRACT NC1621 Kg

Batch	Units	Q/C	Best before	DoM
14819	2	Passed	17/04/2020	17/07/2019

Microbiological	Results	Our Specification
APC cfu/g	<10	1,000
E coli cfu/g	0	0
Yeasts cfu/g	<20	100
Moulds cfu/g	<20	100
Enterobacteriaceae cfu/g	0	0
Salmonella	0	ND/25g
Listeria cfu/g	0	ND/25g

Physical	Results	Our Specification
Organoleptic	pass	Passes
Visual	pass	Passes
E _d @ 535nm	0.4%	Corresponds Betanin 0.3 - 0.4%
Absorption Dist Water	4.5	3.3 - 4.5
Sieve Mesh 1mm	100% pass	100% Passes

Compliant to: Commission Regulation (EU) 231/2012

Certificate issued 29/08/2019

The Soap Kitchen
Unit 8 Caddsdwn Industrial Park, Clovelly Road, Bideford,
Devon, EX39 3DX

Tel: 01237 420872 (+44 (0)1237 420872)
Email: it@thesoapkitchen.co.uk